


Pulse

STORAGE

Pulse is a functional storage family with clean lines, sharp edges and a large variety of materials and finishes. It is flexible and functional, modular, adaptable and it can be configured either by our own dedicated workstation or in clustered units in the open landscape.

Personal storage in different configurations. Lock with key, code- or RFID-lock.



MODEL	Personal locker	
VARIANTS	<ul style="list-style-type: none"> - Open Storage Shelf - Drawers - High Leg Frame - Plinth 	<ul style="list-style-type: none"> - Doors - Low Leg Frame - Castors
ACCESSORIES	<ul style="list-style-type: none"> - Bracket handle - Key lock - Code lock - RFID-lock - Knob - Recessed handle - Filing accessories - RAL Classic 	
CONSTRUCTION	<p>22 mm wood-fibre board frame, sides, fronts and bottom are 16 mm board, back is 8 mm board. Surface coating is either veneer or MFC, thickness 0.2-2 mm depending on material choice. Options for legs/plinth: Plastic or MFC/wood board plinth. Leg frame of 12x12 mm steel, alternatively steel frame with castors Ø60 mm. Options for locks: steel key lock, alternatively steel/plastic code lock, or RFID-lock.</p>	

DIMENSIONS	Height: 746/1098/1450 mm Width: 800/1191 mm Depth: 400 mm
------------	---

WEIGHT	30 - 90 kg
--------	------------

TESTED	EN 16121 - EN 16122
--------	---------------------


WARRANTY	5 years
----------	---------

Pulse

STORAGE

Pulse is a functional storage family with clean lines, sharp edges and a large variety of materials and finishes. It is flexible and functional, modular, adaptable and it can be configured either by our own dedicated workstation or in clustered units in the open landscape.

Personal storage in different configurations. Lock with key, code- or RFID-lock.



MODEL

Personal locker

VARIANTS

- Open Storage Shelf
- Drawers
- High Leg Frame
- Plinth
- Doors
- Low Leg Frame
- Castors

ACCESSORIES

- Bracket handle
- Key lock
- Code lock
- RFID-lock
- Knob
- Recessed handle
- Filing accessories
- RAL Classic

CONSTRUCTION

22 mm wood-fibre board frame, sides, fronts and bottom are 16 mm board, back is 8 mm board. Surface coating is either veneer or MFC, thickness 0.2-2 mm depending on material choice. Options for legs/plinth: Plastic or MFC/wood board plinth. Leg frame of 12x12 mm steel, alternatively steel frame with castors Ø60 mm. Options for locks: steel key lock, alternatively steel/plastic code lock, or RFID-lock.

DIMENSIONS	Height: 746/1098 mm Width: 800/1191/1582 mm Depth: 400 mm
------------	---

WEIGHT	83.0 kg
--------	---------

TESTED	EN 16121 - EN 16122
--------	---------------------

WARRANTY	5 years
----------	---------
