


Pulse

RECTANGULAR DOORS

Pulse is a functional storage family with clean lines, sharp edges and a large variety of materials and finishes. It is flexible and functional, modular, adaptable and it can be configured either by our own dedicated workstation or in clustered units in the open landscape.

Modular construction. Open shelving, different combinations of storage with drawers and doors.



MODEL	Storage
VARIANTS	– Open Storage Shelf – Drawers – High Leg Frame – Plinth – Doors – Low Leg Frame – Castors
ACCESSORIES	– Bracket handle – Key lock – Code lock – RFID-lock – Knob – Filing accessories – RAL Classic
DETAILS	– Storage units can be ordered with metal legs in two heights, plinths or castors. Lock with key is standard, also available with code lock or RFID lock. Different options are available for handles and knobs.
CONSTRUCTION	The frame consists of a 22 mm wood fiberboard top, 16 mm wood fiberboard sides, fronts, and bottom, and an 8 mm wood fiberboard back panel. The surface is coated in veneer or laminate, with a thickness of 0.2–2 mm depending on the chosen material. Knob or loop handles are made of steel, while locks are either steel or a combination of plastic and steel, depending on the variant. The base is available in plastic or laminate with a 16 mm wood fiberboard core. The structure can be supported by a 12x12 mm steel tube leg frame or a steel wheel frame with 60 mm diameter castors. The drawer frame is made of steel sheet.

DIMENSIONS	Height: 746/1098/1450 mm Width: 800/1191 mm Depth: 400 mm
------------	---

WEIGHT	30 - 90 kg
--------	------------

TESTED	EN 16121 - EN 16122
--------	---------------------


WARRANTY	5 years
----------	---------

Pulse

RECTANGULAR DOORS

Pulse is a functional storage family with clean lines, sharp edges and a large variety of materials and finishes. It is flexible and functional, modular, adaptable and it can be configured either by our own dedicated workstation or in clustered units in the open landscape.

Modular construction. Open shelving, different combinations of storage with drawers and doors.



MODEL

Storage

VARIANTS

- Open Storage Shelf
- Drawers
- High Leg Frame
- Plinth
- Doors
- Low Leg Frame
- Castors

ACCESSORIES

- Bracket handle
- Key lock
- Code lock
- RFID-lock
- Knob
- Filing accessories
- RAL Classic

DETAILS

– Storage units can be ordered with metal legs in two heights, plinths or castors. Lock with key is standard, also available with code lock or RFID lock. Different options are available for handles and knobs.

CONSTRUCTION

The frame consists of a 22 mm wood fiberboard top, 16 mm wood fiberboard sides, fronts, and bottom, and an 8 mm wood fiberboard back panel. The surface is coated in veneer or laminate, with a thickness of 0.2–2 mm depending on the chosen material. Knob or loop handles are made of steel, while locks are either steel or a combination of plastic and steel, depending on the variant.

The base is available in plastic or laminate with a 16 mm wood fiberboard core. The structure can be supported by a 12x12 mm steel tube leg frame or a steel wheel frame with 60 mm diameter castors.

The drawer frame is made of steel sheet.

DIMENSIONS	Height: 746/1098 mm Width: 800/1191/1582 mm Depth: 400 mm
WEIGHT	30 - 90 kg
TESTED	EN 16121 - EN 16122
WARRANTY	5 years

Pulse

RECTANGULAR DOORS

Pulse is a functional storage family with clean lines, sharp edges and a large variety of materials and finishes. It is flexible and functional, modular, adaptable and it can be configured either by our own dedicated workstation or in clustered units in the open landscape.

Modular construction. Open shelving, different combinations of storage with drawers and doors.

MODEL	Storage
VARIANTS	– Open Storage Shelf – Drawers – High Leg Frame – Plinth – Doors – Low Leg Frame – Castors
ACCESSORIES	– Bracket handle – Key lock – Code lock – RFID-lock – Knob – Filing accessories – RAL Classic
DETAILS	– Storage units can be ordered with metal legs in two heights, plinths or castors. Lock with key is standard, also available with code lock or RFID lock. Different options are available for handles and knobs.
CONSTRUCTION	The frame consists of a 22 mm wood fiberboard top, 16 mm wood fiberboard sides, fronts, and bottom, and an 8 mm wood fiberboard back panel. The surface is coated in veneer or laminate, with a thickness of 0.2–2 mm depending on the chosen material. Knob or loop handles are made of steel, while locks are either steel or a combination of plastic and steel, depending on the variant. The base is available in plastic or laminate with a 16 mm wood fiberboard core. The structure can be supported by a 12x12 mm steel tube leg frame or a steel wheel frame with 60 mm diameter castors. The drawer frame is made of steel sheet.

DIMENSIONS	Height: 840 - 1192 mm Width: 800 - 1191 mm Depth: 400 mm
WEIGHT	57.0 kg
TESTED	EN 16121 - EN 16122
WARRANTY	5 years