epd-global
Powered by EPD-Norway

Environmental product declaration

in accordance with ISO 14025 and EN 15804+A2

HideAway



EPD-Global

Owner of the declaration:
EFG European Furniture Group AB

Product:
HideAway

Declared unit:
1 pcs

This declaration is based on Product Category Rules:
CEN Standard EN 15804:2012+A2:2019 serves as core PCR
NPCR 026:2022 Part B for Furniture

Program operator:
EPD-Global

Declaration number:
NEPD-12679-12870

Issue date:
21.10.2025

Valid to:
21.10.2030

EPD software:
LCAno EPD generator ID: 1264993

General information

Product

HideAway

Owner of the declaration:

EFG European Furniture Group AB
Contact person: Christer Johansson
Phone: +46 (0)140 676 00
e-mail: christer.johansson@efg.se

Program operator:

EPD-Global
Post Box 5250 Majorstuen, 0303 Oslo, Norway
Phone: +47 977 22 020
web: www.epd-global.com

Manufacturer:

EFG European Furniture Group AB

Declaration number:

NEPD-12679-12870

Place of production:

EFG European Furniture Group AB
Trehörnavägen 2
573 41 Tranås, Sweden

This declaration is based on Product Category Rules:

CEN Standard EN 15804:2012+A2:2019 serves as core PCR
NPCR 026:2022 Part B for Furniture

Management system:

ISO 14001

Statement of liability:

The owner of the declaration shall be liable for the underlying information and evidence. EPD-Global shall not be liable with respect to manufacturer information, life cycle assessment data and evidences.

Organisation no:

5562367259

Declared unit:

1 pcs HideAway

Issue date:

21.10.2025

Declared unit (cradle to gate) with option:

A1-A3, A4, A5, B2, B3, B4, C1, C2, C3, C4, D

Valid to:

21.10.2030

Year of study:

2024

Functional unit:

HideAway with tabletop produced onsite EFG Tranås

Comparability:

EPD of construction products may not be comparable if they not comply with EN 15804 and seen in a building context.

General information on verification of EPD from EPD tools:

Independent verification of data, other environmental information and the declaration according to ISO 14025:2010, § 8.1.3 and § 8.1.4. Verification of each EPD is made according to EPD-Global's guidelines for verification and approval requiring that tools are i) integrated into the company's environmental management system, ii) the procedures for use of the EPD tool are approved by EPD-Global, and iii) the process is reviewed annually by an independent third party verifier. See Appendix G of EPD-Global's General Programme Instructions for further information on EPD tools

Development and verification of EPD:

The declaration is created using EPD tool lca.tools ver EPD2022.03, developed by LCA.no. The EPD tool is integrated in the company's management system, and has been approved by EPD-Global.

Developer of EPD: Andreas Mattisson

Reviewer of company-specific input data and EPD: Jennifer Mörck

Verification of EPD tool:

Independent third party verification of the EPD tool, background data and test-EPD in accordance with EPD-Global's procedures and guidelines for verification and approval of EPD tools.

Third party verifier:

Elisabet Amat, GREENIZE projects

(no signature required)

Approved:



Håkon Hauan, CEO EPD-Global

Product

Product description:

Foldable table with table top, indoor use.

Product specification

The model analyzed in detail in this declaration is HideAway HA721480 Tabletop 140x80cm including packaging. Key environmental indicators for other models and options of the HideAway family are presented in the table under the heading "Variants and Options"

Materials	kg	%	Recycled share in material (kg)	Recycled share in material (%)
Metal - Steel	21,80	51,87	4,36	20,00
Plastic - Melamine	0,456	1,08	0,00	0,00
Plastic - Polyethylene (LDPE)	0,445	1,06	0,00	0,00
Powder coating	0,161	0,383	0,00	0,00
Wood - Chipboard	19,17	45,61	0,00	0,00
Total	42,03	100,00	4,36	

Packaging	kg	%	Recycled share in material (kg)	Recycled share in material (%)
Packaging - Cardboard	1,90	100,00	0,68	36,00
Total incl. packaging	43,93	100,00	5,04	

Technical data:

Market:

Scandinavia

Reference service life, product

15 years

Reference service life, building

LCA: Calculation rules

Declared unit:

1 pcs HideAway

Cut-off criteria:

All major raw materials and all the essential energy is included. The production processes for raw materials and energy flows with very small amounts (less than 1%) are not included. These cut-off criteria do not apply for hazardous materials and substances.

Allocation:

The allocation is made in accordance with the provisions of EN 15804. Incoming energy and water and waste production in-house is allocated equally among all products through mass allocation. Effects of primary production of recycled materials is allocated to the main product in which the material was used. The recycling process and transportation of the material is allocated to this analysis.

Data quality:

Specific data for the product composition are provided by the manufacturer. They represent the production of the declared product and were collected for EPD development in the year of study. Background data is based on registered EPDs according to EN 15804, Ostfold Research databases, ecoinvent and other LCA databases. The data quality of the raw materials in A1 is presented in the table below.

Materials	Source	Data quality	Year
Metal - Steel	ecoinvent 3.6	Database	2019
Packaging - Cardboard	ecoinvent 3.6	Database	2019
Plastic - Melamine	ecoinvent 3.6	Database	2019
Plastic - Polyethylene (LDPE)	ecoinvent 3.6	Database	2019
Powder coating	ecoinvent 3.6	Database	2019
Wood - Chipboard	ecoinvent 3.6	Database	2019

System boundaries (X=included, MND=module not declared, MNR=module not relevant)

Product stage			Construction installation stage		Use stage							End of life stage				Beyond the system boundaries
Raw materials	Transport	Manufacturing	Transport	Assembly	Use	Maintenance	Repair	Replacement	Refurbishment	Operational energy use	Operational water use	De-construction demolition	Transport	Waste processing	Disposal	Reuse-Recovery-Recycling-potential
A1	A2	A3	A4	A5	B1	B2	B3	B4	B5	B6	B7	C1	C2	C3	C4	D
X	X	X	X	X	MND	X	X	X	MND	MND	MND	X	X	X	X	X

System boundary:



Additional technical information:

LCA: Scenarios and additional technical information

The following information describe the scenarios in the different modules of the EPD.

Check out www.efg.se for caring instruction

Transport from production place to user (A4)	Capacity utilisation (incl. return) %	Distance (km)	Fuel/Energy Consumption	Unit	Value (Liter/tonne)
Truck, 16-32 tonnes, EURO 4 (km)	36,7 %	300,00	0,044	l/tkm	13,20

Assembly (A5)	Unit	Value			
Waste, packaging, corrugated board box, to average treatment (kg)	kg	1,90			

Transport to waste processing (C2)	Capacity utilisation (incl. return) %	Distance (km)	Fuel/Energy Consumption	Unit	Value (Liter/tonne)
Truck, 16-32 tonnes, EURO 5 (km)	36,7 %	85,00	0,044	l/tkm	3,74

Waste processing (C3)	Unit	Value			
Waste treatment per kg Non-hazardous waste, incineration with fly ash extraction - C3 (kg)	kg	0,617			
Waste, materials to recycling (kg)	kg	7,40			
Waste treatment per kg Scrap steel, incineration with fly ash extraction (kg)	kg	21,80			
Waste treatment per kg Polyethylene, PE, incineration with fly ash extraction - C3 (kg)	kg	0,445			
Waste treatment per kg Wood, incineration with fly ash extraction (kg)	kg	19,17			

Disposal (C4)	Unit	Value			
Landfilling of ashes from incineration of Non-hazardous waste, process per kg ashes and residues - C4 (kg)	kg	0,1464			
Landfilling of ashes and residues from incineration of Scrap steel (kg)	kg	14,40			
Landfilling of ashes from incineration of Polyethylene, PE, process per kg ashes and residues - C4 (kg)	kg	0,01568			
Landfilling of ashes from incineration of Wood, process per kg ashes and residues (kg)	kg	0,2205			

Benefits and loads beyond the system boundaries (D)	Unit	Value			
Substitution of electricity, in Norway (MJ)	MJ	14,56			
Substitution of thermal energy, district heating, in Norway (MJ)	MJ	220,30			
Substitution of primary steel with net scrap (kg)	kg	5,92			

LCA: Results

The LCA results are presented below for the declared unit defined on page 2 of the EPD document.

Environmental impact							
Indicator		**Unit**	A1-A3	A4	A5	B2	B3
	GWP-total	kg CO_2 -eq	9.22E+01	2.18E+00	3.26E+00	0	0
	GWP-fossil	kg CO_2 -eq	1.25E+02	2.18E+00	3.07E-02	0	0
	GWP-biogenic	kg CO_2 -eq	-3.36E+01	8.95E-04	3.23E+00	0	0
	GWP-luluc	kg CO_2 -eq	3.36E-01	7.67E-04	1.02E-05	0	0
	ODP	kg CFC11 -eq	1.42E-05	5.00E-07	6.49E-09	0	0
	AP	mol H+ -eq	6.42E-01	1.11E-02	1.46E-04	0	0
	EP-FreshWater	kg P -eq	6.99E-03	1.72E-05	2.52E-07	0	0
	EP-Marine	kg N -eq	1.36E-01	3.77E-03	4.81E-05	0	0
	EP-Terrestial	mol N -eq	1.54E+00	4.16E-02	5.21E-04	0	0
	POCP	kg NMVOC -eq	5.32E-01	1.19E-02	1.50E-04	0	0
	ADP-minerals&metals[1]	kg Sb-eq	3.91E-03	5.95E-05	7.48E-07	0	0
	ADP-fossil[1]	MJ	1.75E+03	3.31E+01	4.30E-01	0	0
	WDP[1]	m^3	1.27E+04	3.16E+01	5.45E-01	0	0

Indicator		**Unit**	B4	C1	C2	C3	C4	D
	GWP-total	kg CO_2 -eq	0	0	6.22E-01	3.54E+01	1.65E-01	-7.84E+00
	GWP-fossil	kg CO_2 -eq	0	0	6.22E-01	3.12E+00	1.65E-01	-7.79E+00
	GWP-biogenic	kg CO_2 -eq	0	0	2.54E-04	3.22E+01	1.23E-04	-6.23E-03
	GWP-luluc	kg CO_2 -eq	0	0	2.17E-04	9.13E-05	4.95E-05	-4.69E-02
	ODP	kg CFC11 -eq	0	0	1.42E-07	3.99E-08	5.07E-08	-9.30E-02
	AP	mol H+ -eq	0	0	2.54E-03	4.13E-03	1.16E-03	-4.29E-02
	EP-FreshWater	kg P -eq	0	0	4.88E-06	8.40E-06	1.65E-06	-5.14E-04
	EP-Marine	kg N -eq	0	0	7.54E-04	1.88E-03	4.13E-04	-1.01E-02
	EP-Terrestial	mol N -eq	0	0	8.34E-03	2.00E-02	4.58E-03	-1.06E-01
	POCP	kg NMVOC -eq	0	0	2.55E-03	5.08E-03	1.32E-03	-4.29E-02
	ADP-minerals&metals[1]	kg Sb-eq	0	0	1.68E-05	2.07E-06	2.83E-06	-1.25E-04
	ADP-fossil[1]	MJ	0	0	9.38E+00	3.25E+00	3.75E+00	-7.31E+01
	WDP[1]	m^3	0	0	8.95E+00	4.23E+00	7.57E+00	1.10E+02

GWP-total = Global Warming Potential total; GWP-fossil = Global Warming Potential fossil fuels; GWP-biogenic = Global Warming Potential biogenic; GWP-luluc = Global Warming Potential land use and land use change; ODP = Depletion potential of the stratospheric ozone layer; AP = Acidification potential, Accumulated Exceedance; EP-freshwater = Eutrophication potential, fraction of nutrients reaching freshwater end compartment: EP-marine = Eutrophication potential, fraction of nutrients reaching marine end compartment; EP-terrestrial = Eutrophication potential, Accumulated Exceedance; POCP = Formation potential of tropospheric ozone; ADP-minerals&metals = Abiotic depletion potential for non-fossil resources; ADP-fossil = Abiotic depletion for fossil resources potential; WDP = Water (user) deprivation potential, deprivation-weighted water consumption

"Reading example: 9,0 E-03 = 9,0*10-3 = 0,009"
*INA Indicator Not Assessed

1. The results of this environmental impact indicator shall be used with care as the uncertainties on these results are high or as there is limited experienced with the indicator

Remarks to environmental impacts

Additional environmental impact indicators

Indicator		Unit	A1-A3	A4	A5	B2	B3
	PM	Disease incidence	9.82E-06	1.58E-07	2.15E-09	0	0
	IRP[2]	kgBq U235 -eq	8.65E+00	1.45E-01	1.84E-03	0	0
	ETP-fw[1]	CTUe	4.10E+03	2.44E+01	5.73E-01	0	0
	HTP-c[1]	CTUh	5.73E-07	0.00E+00	1.70E-11	0	0
	HTP-nc[1]	CTUh	4.75E-06	2.63E-08	7.20E-10	0	0
	SQP[1]	dimensionless	2.12E+03	2.28E+01	2.88E-01	0	0

Indicator		Unit	B4	C1	C2	C3	C4	D
	PM	Disease incidence	0	0	4.48E-08	7.08E-08	2.12E-08	-1.18E-06
	IRP[2]	kgBq U235 -eq	0	0	4.10E-02	7.80E-03	1.50E-02	-9.33E-02
	ETP-fw[1]	CTUe	0	0	6.91E+00	1.61E+01	2.24E+00	-4.62E+02
	HTP-c[1]	CTUh	0	0	0.00E+00	1.85E-09	8.10E-11	-3.31E-08
	HTP-nc[1]	CTUh	0	0	7.46E-09	4.18E-08	2.17E-09	5.86E-07
	SQP[1]	dimensionless	0	0	6.47E+00	6.00E-01	8.19E+00	-1.26E+02

PM = Particulate Matter emissions; IRP = Ionizing radiation – human health; ETP-fw = Eco toxicity – freshwater; HTP-c = Human toxicity – cancer effects; HTP-nc = Human toxicity – non cancer effects; SQP = Soil Quality (dimensionless)

"Reading example: 9,0 E-03 = 9,0*10-3 = 0,009"
*INA Indicator Not Assessed

1. The results of this environmental impact indicator shall be used with care as the uncertainties on these results are high or as there is limited experienced with the indicator
2. This impact category deals mainly with the eventual impact of low dose ionizing radiation on human health of the nuclear fuel cycle. It does not consider effects due to possible nuclear accidents, occupational exposure nor due to radioactive waste disposal in underground facilities. Potential ionizing radiation from the soil, from radon and from some construction materials is also not measured by this indicator.

Resource use

Indicator		Unit	A1-A3	A4	A5	B2	B3
	PERE	MJ	2.71E+02	4.67E-01	7.08E-03	0	0
	PERM	MJ	1.86E+02	0.00E+00	-1.56E+01	0	0
	PERT	MJ	4.57E+02	4.67E-01	-1.56E+01	0	0
	PENRE	MJ	1.73E+03	3.31E+01	4.30E-01	0	0
	PENRM	MJ	1.89E+01	0.00E+00	0.00E+00	0	0
	PENRT	MJ	1.75E+03	3.31E+01	4.30E-01	0	0
	SM	kg	5.33E+00	0.00E+00	0.00E+00	0	0
	RSF	MJ	1.03E+00	1.67E-02	2.35E-04	0	0
	NRSF	MJ	1.08E+00	5.97E-02	9.68E-04	0	0
	FW	m^3	1.55E+00	3.49E-03	2.03E-04	0	0

Indicator		Unit	B4	C1	C2	C3	C4	D
	PERE	MJ	0	0	1.32E-01	1.41E-01	7.04E-02	-1.17E+02
	PERM	MJ	0	0	0.00E+00	-1.71E+02	0.00E+00	0.00E+00
	PERT	MJ	0	0	1.32E-01	-1.70E+02	7.04E-02	-1.17E+02
	PENRE	MJ	0	0	9.38E+00	3.31E+00	3.75E+00	-7.30E+01
	PENRM	MJ	0	0	0.00E+00	-1.89E+01	0.00E+00	0.00E+00
	PENRT	MJ	0	0	9.38E+00	-1.56E+01	3.75E+00	-7.30E+01
	SM	kg	0	0	0.00E+00	0.00E+00	0.00E+00	0.00E+00
	RSF	MJ	0	0	4.74E-03	3.12E-03	1.86E-03	2.15E-01
	NRSF	MJ	0	0	1.69E-02	0.00E+00	1.51E-01	1.58E-01
	FW	m^3	0	0	9.88E-04	5.66E-03	3.38E-03	-1.50E-01

PERE = Use of renewable primary energy excluding renewable primary energy resources used as raw materials; PERM = Use of renewable primary energy resources used as raw materials; PERT = Total use of renewable primary energy resources; PENRE = Use of non renewable primary energy excluding non-renewable primary energy resources used as raw materials; PENRM = Use of non renewable primary energy resources used as raw materials; PENRT = Total use of non renewable primary energy resources; SM = Use of secondary materials; RSF = Use of renewable secondary fuels; NRSF = Use of non-renewable secondary fuels; FW = Net use of fresh water

"Reading example: 9,0 E-03 = 9,0*10-3 = 0,009"
*INA Indicator Not Assessed

End of life - Waste

Indicator		Unit	A1-A3	A4	A5	B2	B3
	HWD	kg	8.81E-01	1.69E-03	0.00E+00	0	0
	NHWD	kg	4.73E+01	1.58E+00	1.90E+00	0	0
	RWD	kg	8.19E-03	2.26E-04	0.00E+00	0	0

Indicator		Unit	B4	C1	C2	C3	C4	D
	HWD	kg	0	0	4.78E-04	0.00E+00	1.46E+01	-3.47E-02
	NHWD	kg	0	0	4.48E-01	6.17E-01	1.68E-01	-3.09E+00
	RWD	kg	0	0	6.40E-05	0.00E+00	2.31E-05	-7.77E-05

HWD = Hazardous waste disposed; NHWD = Non-hazardous waste disposed; RWD = Radioactive waste disposed

"Reading example: 9,0 E-03 = 9,0*10-3 = 0,009"
*INA Indicator Not Assessed

End of life - Output flow

Indicator		Unit	A1-A3	A4	A5	B2	B3
	CRU	kg	0.00E+00	0.00E+00	0.00E+00	0	0
	MFR	kg	4.66E-01	0.00E+00	1.77E+00	0	0
	MER	kg	4.70E-01	0.00E+00	1.33E-01	0	0
	EEE	MJ	3.01E-01	0.00E+00	1.09E-01	0	0
	EET	MJ	4.55E+00	0.00E+00	1.64E+00	0	0

Indicator		Unit	B4	C1	C2	C3	C4	D
	CRU	kg	0	0	0.00E+00	0.00E+00	0.00E+00	0.00E+00
	MFR	kg	0	0	0.00E+00	7.40E+00	0.00E+00	0.00E+00
	MER	kg	0	0	0.00E+00	4.20E+01	0.00E+00	0.00E+00
	EEE	MJ	0	0	0.00E+00	1.48E+01	0.00E+00	0.00E+00
	EET	MJ	0	0	0.00E+00	2.24E+02	0.00E+00	0.00E+00

CRU = Components for re-use; MFR = Materials for recycling; MER = Materials for energy recovery; EEE = Exported energy electrical; EET = Exported energy thermal

"Reading example: 9,0 E-03 = 9,0*10-3 = 0,009"
*INA Indicator Not Assessed

Biogenic Carbon Content

Indicator	Unit	At the factory gate
Biogenic carbon content in product	kg C	8.79E+00
Biogenic carbon content in accompanying packaging	kg C	8.80E-01

Note: 1 kg biogenic carbon is equivalent to 44/12 kg CO2

Additional requirements

Greenhouse gas emissions from the use of electricity in the manufacturing phase

National production mix from import, low voltage (production of transmission lines, in addition to direct emissions and losses in grid) of applied electricity for the manufacturing process (A3).

Electricity mix	Source	Amount	Unit
Electricity, Sweden (kWh)	ecoinvent 3.6	54,94	g CO2-eq/kWh

Dangerous substances

The product contains no substances given by the REACH Candidate list.

Indoor environment

Additional Environmental Information

Key Environmental Indicators

Key environmental performance indicators	Unit	Product stage	Construction stage		Use stage			End-of-life				Net benefits and loads from reuse, recovery, and/or recycling
		A1-A3	A4	A5	B2	B3	B4	C1	C2	C3	C4	D
GWPtotal	kg CO_2 -eq	92,24	2,18	3,26	0,00	0,00	0,00	0,00	0,62	35,37	0,17	-7,84
Total energy consumption	MJ	2002,85	33,63	0,44	0,00	0,00	0,00	0,00	9,53	3,46	3,97	-189,92
Share of recycled materials	%	11,47										

Additional environmental impact indicators required in NPCR Part A for construction products						
Indicator	Unit	A1-A3	A4	A5	B2	B3
GWPIOBC	kg CO_2 -eq	1.28E+02	2.18E+00	3.07E-02	0	0

Indicator	Unit	B4	C1	C2	C3	C4	D
GWPIOBC	kg CO_2 -eq	0	0	6.22E-01	2.95E+00	1.67E-01	-1.11E+01

GWP-IOBC: Global warming potential calculated according to the principle of instantaneous oxidation. In order to increase the transparency of biogenic carbon contribution to climate impact, the indicator GWP-IOBC is required as it declares climate impacts calculated according to the principle of instantaneous oxidation. GWP-IOBC is also referred to as GWP-GHG in context to Swedish public procurement legislation.

Variants and Options

Key environmental indicators (A1-A3) for variants of this EPD				
Variants	**Weight (kg)**	**GWPtotal (kg CO_2 -eq)**	**Total energy consumption (MJ)**	**Amount of recycled materials (%)**
HideAway HA116062 Tabletop 60x62cm	19,20	40,45	937,44	13,15
HideAway HA117065P Tabletop 70x65cm rounded corners	19,20	40,45	937,44	13,15
HideAway HA117070 Tabletop 70x70cm	20,20	39,15	948,53	12,49
HideAway HA117070P Tabletop 70x70cm rounded corners	20,20	39,15	948,53	12,49
HideAway HA118080 Tabletop 80x80cm	22,75	36,36	986,33	11,09
HideAway HA11DI70 Tabletop diam. 70cm	17,95	41,43	918,78	13,91
HideAway HA11DI90 Tabletop diam. 90cm	19,95	39,44	946,09	12,63
HideAway HA721470 Tabletop 140x70cm	41,52	92,31	1930,04	12,15
HideAway HA721480 Tabletop 140x80cm	43,90	89,67	1965,60	11,48
HideAway HA721670 Tabletop 160x70cm	45,70	98,55	2086,61	11,82
HideAway HA721680 Tabletop 160x80cm	48,40	95,55	2127,19	11,15
HideAway HA721880 Tabletop 180x80cm	53,60	101,98	2307,34	10,83
HideAway HA721890 Tabletop 180x90cm	57,20	98,03	2359,73	10,15
HideAway HA726063 Tabletop 60x62cm	18,05	34,77	860,13	12,71
HideAway HA727065P Tabletop 70x65cm rounded corners	18,05	34,77	860,13	12,71
HideAway HA727070 Tabletop 70x70cm	19,05	33,48	871,22	12,04
HideAway HA727070P Tabletop 70x70cm rounded corners	19,05	33,48	871,22	12,04
HideAway HA728080 Tabletop 80x80cm	21,60	30,69	909,02	10,62
HideAway HA72DI70 Tabletop diam. 70cm	16,80	35,76	841,47	13,50
HideAway HA72DI90 Tabletop diam. 90cm	18,80	33,76	868,78	12,18
HideAway HAA6062 Tabletop 60x62cm	20,77	54,95	1246,06	11,86
HideAway HAA7065P Tabletop 70x65cm rounded corners	20,77	54,95	1246,06	11,86
HideAway HAA7070 Tabletop 70x70cm	21,77	53,65	1257,16	11,32
HideAway HAA7070P Tabletop 70x70cm rounded corners	21,77	53,65	1257,16	11,32
HideAway HAA8080 Tabletop 80x80cm	24,30	50,86	1294,95	10,13
HideAway HAADI70 Tabletop diam. 70cm	19,70	55,93	1227,40	12,50
HideAway HAADI90 Tabletop diam. 90cm	21,70	53,93	1254,72	11,43
HideAway HAF721680 Tabletop 160x80cm	47,60	91,16	2068,17	10,96
HideAway HAF722080 Tabletop 200x80cm	53,20	85,06	2150,67	9,81
HideAway HAF722470 Tabletop 240x70cm	57,00	96,72	2348,99	10,06
HideAway HAF722480 Tabletop 240x80cm	61,30	92,19	2408,62	9,39
HideAway 1-pillar height 110, frame only	11,60	48,58	821,33	21,78
HideAway 1-pillar, adjustable height, frame only	13,10	63,08	1129,96	18,72
HideAway 1-pillar, frame only, height 72	10,50	42,90	744,02	21,97
HideAway 2-pillar tilt, frame only	24,00	89,47	1391,14	22,43
HideAway Fold, frame only	25,20	115,66	1737,63	20,68

Bibliography

ISO 14025:2010 Environmental labels and declarations - Type III environmental declarations - Principles and procedures.
ISO 14044:2006 Environmental management - Life cycle assessment - Requirements and guidelines.
EN 15804:2012+A2:2019 Environmental product declaration - Core rules for the product category of construction products.
ISO 21930:2017 Sustainability in buildings and civil engineering works - Core rules for environmental product declarations of construction products.
ecoinvent v3, Allocation, cut-off by classification, Swiss Centre of Life Cycle Inventories.
Iversen et al., (2021) eEPD v2021.09 Background information for EPD generator tool system verification, LCA.no Report number: 07.21
Ruud et al., (2023) EPD generator for NPCR026 Part B for Furniture - Background information for EPD generator application and LCA data, LCA.no report number 01.23
NPCR Part A: Construction products and services. Ver. 2.0. March 2021, EPD-Norge.
NPCR 026 Part B for Furniture. Ver. 2.0 March 2022, EPD-Norge.

epd-global Powered by EPD-Norway	**Program operator and publisher** EPD-Global Post Box 5250 Majorstuen, 0303 Oslo, Norway	Phone: e-mail: web:	+47 977 22 020 post@epd-norge.no www.epd-global.com
EFG	**Owner of the declaration:** EFG European Furniture Group AB Trehörnavägen 2, 573 41 Tranås, Sweden	Phone: e-mail: web:	+46 (0)140 676 00 christer.johansson@efg.se https://www.efg.se
LCA.no	**Author of the Life Cycle Assessment** LCA.no AS Dokka 6A, 1671 Kråkerøy, Norway	Phone: e-mail: web:	+47 916 50 916 post@lca.no www.lca.no
LCA.no	**Developer of EPD generator** LCA.no AS Dokka 6A, 1671 Kråkerøy, Norway	Phone: e-mail: web:	+47 916 50 916 post@lca.no www.lca.no
ECO PLATFORM EPD VERIFIED	ECO Platform ECO Portal	web: web:	www.eco-platform.org ECO Portal